sunpath - Draw Sun Path (Test Compatibility only)

Hồng-Phúc Bùi

October 20, 2024

Contents

1	Obj	ect		1	
2	Documentation				
	2.1	Conte	ext and Terms	. 1	
	2.2	Draw	a Sun path chart	. 3	
		2.2.1	Outlines	. 4	
		2.2.2	Scalar and labels	. 6	
		2.2.3	Position of the sun	. 10	

1 Object

This file tests if this package can be used within a article class.

2 Documentation

2.1 Context and Terms

The position of the sun from perspective of an observer is defined by two parameters:

- the azimuth Φ , which tells the observer, how far (in degree) he must turn around from the North direction,
- the altitude θ , which tells the observer, how height (in degree) about the horizon he must look to see the sun.

The azimuth can take a value in the interval [0,360). The altitude can take a value in the interval [0,90], whereas 0 is the horizon, 90 is the zenith. We do not care so much about how far is the sun, so we normalize this distance to 1.

The figure 1 shows these parameter. The coordinate system, which takes the position of the observer as the centre, and the observer's local horizon as the fundamental plane, is called horizontal coordinate system.¹




Figure 1: Horizontal coordinate system

In this package, the cardinal points have specifics values of azimuth as following:

North East South West

0° 90° 180° 270°

The projection of the sun on the horizon plane is a point, which can be defined by two parameters:

- the angle Φ ,
- the distance $r = \cos(\theta)$ from the centre to the sun.

Figure 2 shows the projection of the sun on the horizontal plane. If we track the position of sun on the horizontal plane changes from time to time, we will get a curve. This curve is called the sun path. A chart which shows position of the sun from time to time is called a sun path chart. Of course there are many type of sun path chart. This package provides tools to plot sun path on the horizontal plane.

 $^{^{1}\}mathrm{dt.:}$ topozentrisches Koordinatensystem




Figure 2: Projection of the sun on the horizon plane

2.2 Draw a Sun path chart

Figure 2 is a very rudimentary sun path chart. There is neither scalar, nor time on the chart. A more usable Sun path chart may look like one in the figure 3. In this section we will create this chart.




Figure 3: A Sun path chart

2.2.1 Outlines


User has to place $\space{sunpath}$ in the preamble part of the document. The chart is a TikZ-picture, so we need a tikzpicture-environment. We can also customize the distance from the centre of the chart to the horizon line by setup the option spradius. By default it is 5.5 in PGF xy coordinate. In this example we make it a little bigger:

spradius

\begin{tikzpicture}[spradius=6]
\end{tikzpicture}

We also need the crosshair, the horizon line –in this type of sun path chart it is a circle–, the fours geographic direction. This can be done by adding more commands into the tikzpicture

\begin{tikzpicture}[spradius=6]
\spcrosshair
\spaltitudecircle{{0}}
\spgeodirection
\end{tikzpicture}



Man has to pay attention to the double curry brackets in the command drawaltitudecircle. The outer brackets delimit the argument of the command. The argument of the


command is a valid TikZ-range, which is used in a \foreach command, so it has be placed in between a pair of curry bracket. That is the inner brackets.

2.2.2 Scalar and labels

As the name of the commando says, we can also draw more than the horizon line by adding some values of altitude in the range of the argument of the command \spaltitudecircle. For example \spaltitudecircle{{0,10,...,80,85}} draws 10 circles of altitude.

drawaltitudecircle

\begin{tikzpicture}[spradius=6]
\spcrosshair
\spaltitudecircle{{0,10,...,80,85}}
\spgeodirection
\end{tikzpicture}



S

We can use the command $\displaystyle \frac{r}{h}{1}$ to draw azimuth lines in range r, from the higher altitude h to the lower altitude 1. For example

- \spazimuthline{{0,10,...,360}}{85}{70} draws every 10° azimuth from the 85° altitude to to 70° altitude.
- \spazimuthline{{0,5,...,360}}{80}{0} draws every 5° azimuth from the 80° altitude to to 0° altitude.


\begin{tikzpicture}[spradius=6]
\spcrosshair

```
\spazimuthline{{0,10,...,360}}{85}{70}
\spazimuthline{{0,5,...,360}}{80}{0}
```

\spgeodirection \end{tikzpicture}

drawazimuthline

Ν




To draw azimuth ticks outside the horizon line, we can use $\space{1muthtick}$. This command expects for now no argument.

\begin{tikzpicture}[spradius=6] \spcrosshair

\spgeodirection \end{tikzpicture}

drawazimuthtick

Ν




 \mathbf{S}

To draw labels of azimuth lines and altitude circles in the chart, we can use the commands $\,$

 $\verb|\spaltitudelabel{r}| and$

 $\space{1muthlabel{r}}.$



That it's, now we have a nice chart, on which we can draw positions of the sun from time to time.


2.2.3 Position of the sun

We can easily plot the position of the sun in the chart with the coordinate sunpath, if the azimuth and the altitude are given. For example, to plot the position of the sun with 150° Azimuth and 22° Altitude, we just use the path command as following:

\path[fill=red,draw=red] (sunpath cs:azi=150,alt=22);

The result would be


```
% ...
\path[fill=red,draw=red] (sunpath cs:azi=150,alt=35) circle[radius=2pt];
\spaltitudelabel{{10,20,...,80,85}}[160]
% ...
```




The command \spaltitudelabel can also take an optional argument to set altitude label on other azimuth. This can be useful if the labels cover distract important points on chart. In this chart it is set to be 160°. So one can easily read the azimuth of the sun on the chart.

We can also connect the position of the sun to a path, for example with the positions given in the following table

Time	Azimuth	Altitude				
07:44	98.968673	-0.208672				
08:00	102.009695	2.035492				
10:00	126.513583	19.499874				
12:00	156.854847	31.593335				
14:00	192.292832	33.425294				
16:00	224.708002	24.034984				
18:00	250.626597	7.619801				
18:53	260.810553	-0.244637				
we can get a sun path like this:						



But this chart is not nice. If the data is machine readable, we can generate all stuffs of the chart automatically. This chart below is generated from the table above. Just use your favourite programming language to process sun data.



The part, which makes the chart nicer, is there:

```
%...
\coordinate (P0) at (sunpath cs:azi=98.968673,alt=-0.208672);
\coordinate (P1) at (sunpath cs:azi=102.009695,alt=2.035492);
\coordinate (P2) at (sunpath cs:azi=126.513583,alt=19.499874);
\coordinate (P3) at (sunpath cs:azi=156.854847,alt=31.593335);
\coordinate (P4) at (sunpath cs:azi=192.292832,alt=33.425294);
\coordinate (P5) at (sunpath cs:azi=224.708002,alt=24.034984);
\coordinate (P6) at (sunpath cs:azi=250.626597,alt=7.619801);
\coordinate (P7) at (sunpath cs:azi=260.810553,alt=-0.244637);
\path[sun point] (P0) circle;
\path[sun point] (P1) circle;
\path[sun point] (P2) circle;
\path[sun point] (P3) circle;
\path[sun point] (P4) circle;
\path[sun point] (P5) circle;
\path[sun point] (P6) circle;
\path[sun point] (P7) circle;
\node[sun label,anchor=270-98.968673] at (P0) {07:44};
\node[sun label,anchor=270-102.009695] at (P1) {08:00};
\node[sun label,anchor=270-126.513583] at (P2) {10:00};
\node[sun label,anchor=270-156.854847] at (P3) {12:00};
\node[sun label,anchor=270-192.292832] at (P4) {14:00};
\node[sun label,anchor=270-224.708002] at (P5) {16:00};
\node[sun label,anchor=270-250.626597] at (P6) {18:00};
\node[sun label,anchor=270-260.810553] at (P7) {18:53};
\path[sun path curve] (P0) to [curve through={
    (P1) .. (P2) .. (P3) .. (P4) .. (P5) .. (P6)
    }]
  (P7);
%...
```

To set the altitude scale (and also the altitude lines) equidistance, just use the option altitude mapping=equidistance. The chart above with same data looks like the chart below with this option.

altitude mapping

= equidistance

